Copyright

Submission of a manuscript implies: that the work described has not been published before (expect in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders. All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be taken as a sign that such names are exempt from the relevant protective laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the puplisher can accept legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the CopyrightClearance Center, Inc., 21 Congress Street, Salem, MA01970, USA, stating the ISSN 00 12-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest Printed in Germany by aprinta Wemding © Springer-Verlag Berlin Heidelberg 1993 Springer-Verlag GmbH & Co.KG, 14197 Berlin, Germany

# Contens

### **Full instructions to authors**

A5, Issue No. 1; A6, Issue No. 7

# **Editorial**

Hellerström, C., M. Berger: Hommage à Karl Oberdisse 175 Hellerström, C.: Epilogue 1219 Hellerström, C.: News and Views from the Editor 1

#### Review

Ceriello, A.: Coagulation activation in diabetes mellitus: the role of hyperglycaemia and therapeutic prospects 1119

Felber, J. P., E. Haesler, E. Jéquier: Metabolic origin of insulin resistance in obesity with and without Type 2 (non-insulin-dependent) diabetes mellitus 1221

Häring, H. U., H. Mehnert: Pathogenesis of Type 2 (non-insulin-dependent) diabetes mellitus: candidates for a signal transmitter defect causing insulin resistance of the skeletal muscle 176

Karvonen, M., J. Tuomilehto, I. Libman, R. LaPorte for the World Health Organization DIAMOND Project Group: A review of the recent epidemiological data on the worldwide incidence of Type 1 (insulin-dependent) diabetes mellitus 883

Randle, P.J.: Glucokinase and candidate genes for Type 2 (non-insulin-dependent) diabetes mellitus 269 Schaftingen, E. Van: Glycolysis revisited 581

Szopa, T. M., P. A. Titchener, N. D. Portwood, K. W. Taylor: Diabetes mellitus due to viruses – some recent developments 687

Thorsby, E., K. S. Rønningen: Particular HLA-DQ molecules play a dominant role in determining susceptibility or resistance to Type 1 (insulin-dependent) diabetes mellitus 371

#### **Originals**

Alberti, K. G. M. M.: Problems related to definitions and epidemiology of Type 2 (noninsulin-dependent) diabetes mellitus: studies throughout the world 978

Amiel, S. A., A. Maran, J. K. Powrie, A. M. Umpleby, I. A. Macdonald: Gender differences in counterregulation to hypoglycaemia 460

Aoki, Y., K. Yazaki, K. Shirotori, Y. Yanagisawa, H. Oguchi, K. Kiyosawa, S. Furuta: Stiffening of connective tissue in elderly diabetic patients: relevance to diabetic nephropathy and oxidative stress 79

Asplund-Carlson, A., A. Hamsten, B. Wiman, L. A. Carlson: Relationship between plasma plasminogen activator inhibitor-1 activity and VLDL triglyceride concentration, insulin levels and insulin sensitivity: studies in randomly selected normo- and hypertriglyceridaemic men 817

Bangstad, H.-J., R. Østerby, K. Dahl-Jørgensen, K.J. Berg, A. Hartmann, G. Nyberg, S. Frahm Bjørn, K. F. Hanssen: Early glomerulopathy is present in young, Type 1 (insulin-dependent) diabetic patients with microalbuminuria 523

Barbagallo, M., R. K. Gupta, L. M. Resnick: Cellular ionic effects of insulin in normal human erythrocytes: a nuclear magnetic resonance study 146 Barker, D. J. P., C. N. Hales, C. H. D. Fall,

Barker, D. J. P., C. N. Hales, C. H. D. Fall, C. Osmond, K. Phipps, P. M. S. Clark: Type 2 (non-insulin-dependent) diabetes mellitus, hypertension and hyperlipidaemia (syndrome X): relation to reduced fetal growth 62

Bieg, S., E. M. Bailyes, N. Yassin, J. Amann, L. Herberg, A. M. McGregor, W. A. Scherbaum, J. P. Banga: A multiplicity of protein antigens in subcellular fractions of rat insulinoma tissue are able to stimulate T cells obtained from non-obese diabetic mice 385

Blum, D., H. Dorchy, T. Mouraux, E. Vamos, Y. Mardens, A. Kumps, C. De Prez, P. Heimann, B. Fowler, R. Baumgartner, L. Bouwens, J. Van Gompel, G. Klöppel: Congenital absence of insulin cells in a neonate with diabetes mellitus and mutase-deficient methylmalonic acidaemia 352

Boemi, M., R. W. James, F. Romagnoli, P. Gerber, D. Pometta, P. Fumelli: Gender differences in a Type 2 (non-insulin-dependent) diabetic population with respect to apolipoprotein E phenotype frequencies 229

Brazg, R. L., E. L. Bierman: Insulin excess counteracts the effects of HDL on intracellular sterol accumulation in cultured human skin fibroblasts 942

Breschi, M. C., G. Seghieri, G. Bartolomei, A. Gironi, S. Baldi, E. Ferrannini: Relation of birthweight to maternal plasma gluCopyright

Submission of a manuscript implies: that the work described has not been published before (expect in the form of an abstract); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders. All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e. g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be taken as a sign that such names are exempt from the relevant protective laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the puplisher can accept legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the CopyrightClearance Center, Inc., 21 Congress Street, Salem, MA01970, USA, stating the ISSN 00 12-186X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona Budapest Printed in Germany by aprinta Wemding © Springer-Verlag Berlin Heidelberg 1993 Springer-Verlag GmbH & Co.KG, 14197 Berlin, Germany

# Contens

### **Full instructions to authors**

A5, Issue No. 1; A6, Issue No. 7

# **Editorial**

Hellerström, C., M. Berger: Hommage à Karl Oberdisse 175 Hellerström, C.: Epilogue 1219 Hellerström, C.: News and Views from the Editor 1

#### Review

Ceriello, A.: Coagulation activation in diabetes mellitus: the role of hyperglycaemia and therapeutic prospects 1119

Felber, J. P., E. Haesler, E. Jéquier: Metabolic origin of insulin resistance in obesity with and without Type 2 (non-insulin-dependent) diabetes mellitus 1221

Häring, H. U., H. Mehnert: Pathogenesis of Type 2 (non-insulin-dependent) diabetes mellitus: candidates for a signal transmitter defect causing insulin resistance of the skeletal muscle 176

Karvonen, M., J. Tuomilehto, I. Libman, R. LaPorte for the World Health Organization DIAMOND Project Group: A review of the recent epidemiological data on the worldwide incidence of Type 1 (insulin-dependent) diabetes mellitus 883

Randle, P.J.: Glucokinase and candidate genes for Type 2 (non-insulin-dependent) diabetes mellitus 269 Schaftingen, E. Van: Glycolysis revisited 581

Szopa, T. M., P. A. Titchener, N. D. Portwood, K. W. Taylor: Diabetes mellitus due to viruses – some recent developments 687

Thorsby, E., K. S. Rønningen: Particular HLA-DQ molecules play a dominant role in determining susceptibility or resistance to Type 1 (insulin-dependent) diabetes mellitus 371

#### **Originals**

Alberti, K. G. M. M.: Problems related to definitions and epidemiology of Type 2 (noninsulin-dependent) diabetes mellitus: studies throughout the world 978

Amiel, S. A., A. Maran, J. K. Powrie, A. M. Umpleby, I. A. Macdonald: Gender differences in counterregulation to hypoglycaemia 460

Aoki, Y., K. Yazaki, K. Shirotori, Y. Yanagisawa, H. Oguchi, K. Kiyosawa, S. Furuta: Stiffening of connective tissue in elderly diabetic patients: relevance to diabetic nephropathy and oxidative stress 79

Asplund-Carlson, A., A. Hamsten, B. Wiman, L. A. Carlson: Relationship between plasma plasminogen activator inhibitor-1 activity and VLDL triglyceride concentration, insulin levels and insulin sensitivity: studies in randomly selected normo- and hypertriglyceridaemic men 817

Bangstad, H.-J., R. Østerby, K. Dahl-Jørgensen, K.J. Berg, A. Hartmann, G. Nyberg, S. Frahm Bjørn, K. F. Hanssen: Early glomerulopathy is present in young, Type 1 (insulin-dependent) diabetic patients with microalbuminuria 523

Barbagallo, M., R. K. Gupta, L. M. Resnick: Cellular ionic effects of insulin in normal human erythrocytes: a nuclear magnetic resonance study 146 Barker, D. J. P., C. N. Hales, C. H. D. Fall,

Barker, D. J. P., C. N. Hales, C. H. D. Fall, C. Osmond, K. Phipps, P. M. S. Clark: Type 2 (non-insulin-dependent) diabetes mellitus, hypertension and hyperlipidaemia (syndrome X): relation to reduced fetal growth 62

Bieg, S., E. M. Bailyes, N. Yassin, J. Amann, L. Herberg, A. M. McGregor, W. A. Scherbaum, J. P. Banga: A multiplicity of protein antigens in subcellular fractions of rat insulinoma tissue are able to stimulate T cells obtained from non-obese diabetic mice 385

Blum, D., H. Dorchy, T. Mouraux, E. Vamos, Y. Mardens, A. Kumps, C. De Prez, P. Heimann, B. Fowler, R. Baumgartner, L. Bouwens, J. Van Gompel, G. Klöppel: Congenital absence of insulin cells in a neonate with diabetes mellitus and mutase-deficient methylmalonic acidaemia 352

Boemi, M., R. W. James, F. Romagnoli, P. Gerber, D. Pometta, P. Fumelli: Gender differences in a Type 2 (non-insulin-dependent) diabetic population with respect to apolipoprotein E phenotype frequencies 229

Brazg, R. L., E. L. Bierman: Insulin excess counteracts the effects of HDL on intracellular sterol accumulation in cultured human skin fibroblasts 942

Breschi, M. C., G. Seghieri, G. Bartolomei, A. Gironi, S. Baldi, E. Ferrannini: Relation of birthweight to maternal plasma glucose and insulin concentrations during normal pregnancy 1315

Brichard, S. M., J. C. Henquin, J. Girard: Phlorizin treatment of diabetic rats partially reverses the abnormal expression of genes involved in hepatic glucose metabolism 292

Buscema, M., A. M. Rabuazzo, C. Vinci, V. Caltabiano, R. Vigneri, F. Purrello: Different effects of glucose and glyburide on insulin secretion in rat pancreatic islets pre-exposed to interleukin-1β. Possible involvement of K + and Ca<sup>2+</sup> channels 791

Cam, M. C., R. A. Pederson, R. W. Brownsey, J. H. McNeill: Long-term effectiveness of oral vanadyl sulphate in streptozo-

tocin-diabetic rats 218

Cameron, N. E., M. A. Cotter, K. C. Dines, E. K. Maxfield: Pharmacological manipulation of vascular endothelium function in non-diabetic and streptozotocin-diabetic rats: effects on nerve conduction, hypoxic resistance and endoneurial capillarization 516

Cameron, N. E., M. A. Cotter, E. K. Maxfield: Anti-oxidant treatment prevents the development of peripheral nerve dysfunction in streptozotocin-diabetic rats 299

Carpenter, A.-M., F. C. Goetz, P. M. Le-Compte, J. R. Williamson: Glomerulosclerosis in Type 2 (non-insulin-dependent) diabetes mellitus: relationship to glycaemia in the University Group Diabetes Program (UGDP) 1057

Catalano, C., P. H. Winocour, T. H. Thomas, M. Walker, C. F. Sum, R. Wilkinson, K. G. M. M. Alberti: Erythrocyte sodiumlithium countertransport activity and total body insulin-mediated glucose disposal in normoalbuminuric normotensive Type 1 (insulin-dependent) diabetic patients 52

Cavan, D. A., K. H. Jacobs, M. A. Penny, M. A. Kelly, C. Mijovic, D. Jenkins, J. A. Fletcher, A. H. Barnett: Both DQA1 and DQB1 genes are implicated in HLA-associated protection from Type 1 (insulin-dependent) diabetes mellitus in a British Caucasian population 252

Chosich, N., L. C. Harrison: Suppression of diabetes mellitus in the non-obese diabetic (NOD) mouse by an autoreactive (anti-I-Ag<sup>7</sup>) islet-derived CD4<sup>+</sup> T-cell

line 716

Christmanson, L., C. Betsholtz, A. Leckström, U. Engström, C. Cortie, K. H. Johnson, T. E. Adrian, P. Westermark: Islet amyloid polypeptide in the rabbit and European hare: studies on its relationship to amyloidogenesis 183

Collins, A. C. G., M. Sethi, F. A. MacDonald, D. Brown, G. C. Viberti: Storage temperature and differing methods of sample preparation in the measurement of urinary al-

bumin 993

Cordonnier, D. J., D. Zmirou, P. Y. Benhamou, S. Halimi, F. Ledoux, J. Guiserix: Epidemiology, development and treatment of end-stage renal failure in Type 2 (non-insulin-dependent) diabetes mellitus 1109

Cosmo, S. De, K. Earle, A. Morocutti, J. Walker, P. Ruggenenti, G. Remuzzi, G. C. Viberti: Glucose-induced changes in renal haemodynamics in proteinuric Type 1 (insulin-dependent) diabetic patients: inhibition by acetylsalicilic acid infusion 622

Császár, A., H. Dieplinger, C. Sandholzer, I. Karádi, E. Juhász, H. Drexel, T. Halmos, L. Romics, J. R. Patsch, G. Utermann: Plasma lipoprotein(a) concentration and phenotypes in diabetes mellitus 47

Damsgaard, E. M., A. Frøland, O. D. Jørgensen, C. E. Mogensen: Prognostic value of urinary albumin excretion rate and other risk factors in elderly diabetic patients and non-diabetic control subjects surviving the first 5 years after assessment 1030

Deary, I.J., D. A. Hepburn, K. M. MacLeod, B. M. Frier: Partitioning the symptoms of hypoglycaemia using multi-sample confir-

matory factor analysis 771

Deckert, T., A. Kofoed-Enevoldsen, P. Vidal, K. Nørgaard, H. B. Andreasen, B. Feldt-Rasmussen: Size- and charge selectivity of glomerular filtration in Type 1 (insulin-dependent) diabetic patients with and without albuminuria 244

Delarue, J., S. Normand, C. Pachiaudi, M. Beylot, F. Lamisse, J.P. Riou: The contribution of naturally labelled <sup>13</sup>C fructose to glucose appearance in humans 338

Diem, P., P. Mullis, A. Hirt, J. J. Schuler, W. Bürgi, K. A. Zuppinger, A. Teuscher: Fetal haemoglobin levels in adult Type 1 (insulin-dependent) diabetic patients 129

Dines, K. C., M. A. Cotter, N. E. Cameron: Contrasting effects of treatment with ω-3 and ω-6 essential fatty acids on peripheral nerve function and capillarization in streptozotocin-diabetic rats 1132

Elbein, S. C., M. Hoffman, K. Chiu, Y. Tanizawa, M. A. Permutt: Linkage analysis of the glucokinase locus in familial Type 2 (non-insulin-dependent) diabetic pedigrees 141

Ellerman, K., M. Wrobleski, A. Rabinovitch, A. Like: Natural killer cell depletion and diabetes mellitus in the BB/Wor rat (re-

visited) 596

Fanelli, C., A. Di Vincenzo, F. Modarelli, M. Lepore, M. Ciofetta, L. Epifano, S. Pampanelli, P. Brunetti, G. B. Bolli: Post-hypoglycaemic hyperketonaemia does not contribute to brain metabolism during insulin-induced hypoglycaemia in humans 1191

Fasching, P., K. Ratheiser, P. Damjancic, B. Schneider, P. Nowotny, H. Vierhapper, W. Waldhäusl: Both acute and chronic near-normoglycaemia are required to improve insulin resistance in Type 1 (insulindependent) diabetes mellitus 346

Fong, Y., D. Edelstein, E. A. Wang, M. Brownlee: Inhibition of matrix-induced bone differentiation by advanced glycation end-products in rats 802

Frittitta, L., G. Grasso, M. E. Munguira, R. Vigneri, V. Trischitta: Insulin receptor tyrosine kinase activity is reduced in monocytes from non-obese normoglycaemic insulin-resistant subjects 1163

Gall, M.-A., F.S. Nielsen, U. M. Smidt, H.-H. Parving: The course of kidney function in Type 2 (non-insulin-dependent) diabetic patients with diabetic nephropathy 1071

Giroix, M.-H., A. Sener, B. Portha, W. J. Malaisse: Preferential alteration of oxidative relative to total glycolysis in pancreatic islets of two rat models of inherited or acquired Type 2 (non-insulin-dependent) diabetes mellitus 305

Goguen, J. M., M. L. Halperin: Can insulin administration cause an acute metabolic acidosis in vivo? An experimental study in

dogs 813

Grant, M. B., R. N. Mames, C. Fitzgerald, E. A. Ellis, M. Aboufrickha, J. Guy: Insulin-like growth factor I acts as an angiogenic agent in rabbit cornea and retina: comparative studies with basic fibroblast growth factor 282

Green, I. C., C. A. Delaney, J. M. Cunningham, V. Karmiris, C. Southern: Interleukin-1β effects on cyclic GMP and cyclic AMP in cultured rat islets of Langerhans arginine—dependence and relationship to

insulinsecretion 9

Groop, L., A. Ekstrand, C. Forsblom, E. Widén, P.-H. Groop, A.-M. Teppo, J. Eriksson: Insulin resistance, hypertension and microalbuminuria in patients with Type 2 (non-insulin-dependent) diabetes mellitus 642

Guberski, D. L., L. Butler, S. M. Manzi, M. Stubbs, A. A. Like: The BBZ/Wor rat: clinical characteristics of the diabetic syn-

drome 912

Guillaume-Gentil, C., F. Assimacopoulos-Jeannet, B. Jeanrenaud: Involvement of non-esterified fatty acid oxidation in glucocorticoid-induced peripheral insulin resistance in vivo in rats 899

Haffner, S. M., C. Gonzales, R. A. Valdez, L. Mykkänen, H. P. Hazuda, B. D. Mitchell, A. Monterrosa, M. P. Stern: Is microalbuminuria part of the prediabetic state? The Mexico City Diabetes Study 1002

Handberg, A., L. Kayser, P.E. Høyer, M. Voldstedlund, H. P. Hansen, J. Vinten: Metformin ameliorates diabetes but does not normalize the decreased GLUT4content in skeletal muscle of obese (fa/fa) Zucker rats 481

Handberg, A., A. Vaag, J. Vinten, H. Beck-Nielsen: Decreased tyrosine kinase activity in partially purified insulin receptors from muscle of young, non-obese first degree relatives of patients with Type 2 (non-insulin-dependent) diabetes mellitus 668

Hasslacher, C., A. Bostedt-Kiesel, H. P. Kempe, P. Wahl: Effect of metabolic factors and blood pressure on kidney function in proteinuric Type 2 (non-insulin-dependent) diabetic patients 1051

Hautanen, A., H. Adlercreutz: Hyperinsulinaemia, dyslipidaemia and exaggerated adrenal androgen response to adrenocorticotropin in male smokers 1275

Henriksen, J. E., M. S. Djurhuus, A. Vaag, P. Thye-Rønn, D. Knudsen, O. Hother-Nielsen, H. Beck-Nielsen: Impact of injection sites for soluble insulin on glycaemic control in Type 1 (insulin-dependent) diabetic patients treated with a multiple insulin injection regimen 752

Holst, J. J., M. Bersani, A. Hvidberg, U. Knigge, E. Christiansen, S. Madsbad, H. Harling, H. Kofod: On the effects of

human galanin in man 653

Höppener, J. W. M., J. S. Verbeek, E. J. P. de Koning, C. Oosterwijk, K. L. van Hulst, H. J. Visser-Vernooy, F. M. A. Hofhuis, S. van Gaalen, M. J. H. Berends, W. H. L. Hackeng, H. S. Jansz, J. F. Morris, A. Clark, P. J. A. Capel, C. J. M. Lips: Chronic overproduction of islet amyloid polypeptide/amylin in transgenic mice: lysosomal localization of human islet amyloid polypeptide and lack of marked hyperglycaemia or hyperinsulinaemia 1258

Horowitz, M., M. A. L. Edelbroek, J. M. Wishart, J. W. Straathof: Relationship between oral glucose tolerance and gastric emptying in normal healthy subjects 857

Hosszufalusi, N., E. Chan, M. Teruya, S. Takei, G. Granger, M. A. Charles: Quantitative phenotypic and functional analyses of islet immune cells before and after diabetes onset in the BB rat 1146

Hyöty, H., M. Hiltunen, A. Reunanen, P. Leinikki, T. Vesikari, R. Lounamaa, J. Tuomilehto, H. K. Åkerblom, and the Childhood Diabetes in Finland Study Group: Decline of mumps antibodies in Type 1 (insulin-dependent) diabetic children and a plateau in the rising incidence of Type 1 diabetes after introduction of the mumps-measles-rubella vaccine in Finland 1303

Imamura, H., I. Morimoto, S. Etoh, T. Usa, H. Namba, A. Ohtsuru, A. Yokota, S. Nagataki, S. Yamashita: Skeletal muscle glucose transporter gene expression is not affected by injecting growthhormone-se-

creting cells in young rats 475

Ishihara, H., T. Asano, K. Tsukuda, H. Katagiri, K. Inukai, M. Anai, M. Kikuchi, Y. Yazaki, J.-I. Miyazaki, Y. Oka: Pancreatic beta-cell line MIN6 exhibits characteristics of glucose metabolism and glucose-stimulated insulin secretion similar to those of normal islets 1139

Iwanishi, M., T. Haruta, Y. Takata, O. Ishibashi, T. Sasaoka, K. Egawa, T. Imamura, K. Naitou, T. Itazu, M. Kobayashi: A mutation (Trp<sup>1193</sup> → Leu<sup>1193</sup>) in the tyrosine kinase domain of the insulin receptor associated with type A syndrome of insulin re-

sistance 414

Jaap, A. J., A. C. Shore, I. B. Gartside, J. Gamble, J. E. Tooke: Increased microvascular fluid permeability in young Type 1 (insulin-dependent) diabetic patients 648

Jebbink, H. J. A., B. Bravenboer, L. M. A. Akkermans, G. P. vanBerge-Henegouwen, A. J. P. M. Smout: Relationships between dyspeptic symptoms and gastrointestinal motility in patients with Type 1 (insulin-dependent) diabetes mellitus 948

Jerums, G., T.J. Allen, C. Tsalamandris, A. Akdeniz, A. Sinha, R. Gilbert, M. E. Cooper: Relationship of progressively increasing albuminuria to apoprotein(a) and blood pressure in Type 2 (non-insulindependent) and Type 1 (insulin-dependent) diabetic patients 1037

Jörgens, V., M. Grüßer, U. Bott, I. Mühlhauser, M. Berger: Effective and safe translation of intensified insulin therapy to general internal medicine depart-

ments 99

Kamijo, M., P. V. Cherian, A. A. F. Sima: The preventive effect of aldose reductase inhibition on diabetic optic neuropathy in the BB/W-rat 893

Kasuga, A., T. Maruyama, I. Takei, A. Shimada, T. Kasatani, K. Watanabe, T. Saruta, T. Nakaki, S. Habu, J. Miyazaki: The role of cytotoxic macrophages in nonobese diabetic mice: cytotoxicity against murine mastocytoma and beta-cell lines 1252

Kellerer, M., G. Sesti, E. Seffer, B. Obermaier-Kusser, D. E. Pongratz, L. Mosthaf, H. U. Häring: Altered pattern of insulin receptor isotypes in skeletal muscle membranes of Type 2 (non-insulin-dependent) diabetic subjects 628

Kerr, D., J. C. Stanley, M. Barron, R. Thomas, B. A. Leatherdale, J. Pickard: Symmetry of cerebral blood flow and cognitive responses to hypoglycaemia in humans

73

Kikkawa, R., T. Arimura, M. Haneda, T. Nishio, K. Sawada, M. Yagisawa, Y. Shigeta: Current status of Type 2 (non-insulin-dependent) diabetic subjects on dialysis therapy in Japan 1105

Kikkawa, R., M. Haneda, M. Togawa, D. Koya, N. Kajiwara, Y. Shigeta: Differential modulation of mitogenic and metabolic actions of insulin-like growth factor I in rat glomerular mesangial cells in high glucose culture 276

Klein, R. L., M. F. Lopes-Virella: Metabolism by human endothelial cells of very low density lipoprotein subfractions isolated from Type 1 (insulin-dependent)

diabetic patients 258

Knöbl, P., G. Schernthaner, C. Schnack, P. Pietschmann, A. Griesmacher, R. Prager, M. Müller: Thrombogenic factors are related to urinary albumin excretion rate in Type 1 (insulin-dependent) and Type 2 (non-insulin-dependent) diabetic patients 1045

Knott, R. M., M. Robertson, J. V. Forrester: Regulation of glucose transporter (GLUT 3) and aldose reductase mRNA in bovine retinal endothelial cells and retinal pericytes in high glucose and high ga-

lactose culture 808

Koch, M., B. Thomas, W. Tschöpe, E. Ritz: Survival and predictors of death in dialysed diabetic patients 1113

Kofoed-Enevoldsen, A., D. Noonan, T. Deckert: Diabetes mellitus induced inhibition of glucosaminyl N-deacetylase: effect of short-term blood glucose control in diabetic rats 310

Kofoed-Enevoldsen, A., J.S. Petersen, T. Deckert: Glucosaminyl N-deacetylase in cultured fibroblasts: comparison of patients with and without diabetic nephropathy, and identification of a possible mechanism for diabetes-induced N-deacetylase inhibition 536

Koning, E. J. P. de, N. L. Bodkin, B. C. Hansen, A. Clark: Diabetes mellitus in *Macaca* mulatta monkeys is characterised by islet amyloidosis and reduction in beta-cell

nonulation 378

Kriska, A. M., R. E. LaPorte, D. J. Pettitt, M. A. Charles, R. G. Nelson, L. H. Kuller, P. H. Bennett, W. C. Knowler: The association of physical activity with obesity, fat distribution and glucose intolerance in Pima Indians 863

Kröncke, K.-D., M.-L. Rodriguez, H. Kolb, V. Kolb-Bachofen: Cytotoxicity of activated rat macrophages against syngeneic islet cells is argininedependent, correlates with citrulline and nitrite concentrations and is identical to lysis by the nitric oxide donor nitroprusside 17

Kruszynska, Y.T., D. S. Harry, R. N. Bergman, N. McIntyre: Insulin sensitivity, insulin secretion and glucose effectiveness in diabetic and non-diabetic cirrhotic pa-

tients 121

Kullberg, C. E., H. J. Arnqvist: Elevated long-term glycated haemoglobin precedes proliferative retinopathy and nephropathy in Type 1 (insulin-dependent) diabetic patients 961

Laager, R., U. Keller: Effects of recombinant human insulin-like growth factor I and insulin on counterregulation during acute plasma glucose decrements in normal and Type 2 (non-insulin-dependent) diabetic subjects 966

Leahy, J. L., L. M. Bumbalo, C. Chen: Betacell hypersensitivity for glucose precedes loss of glucose-induced insulin secretion in 90% pancreatectomized rats 1238

Lehtinen, J. M., L. Niskanen, K. Hyvönen, O. Siitonen, M. Uusitupa: Nerve function and its determinants in patients with newly-diagnosed Type 2 (non-insulin-dependent) diabetes mellitus and in control subjects – a5-year follow-up 68

Lehto, M., K. Xiang, M. Stoffel, R. Espinosa III, L. C. Groop, M. M. Le Beau, G. I. Bell: Human hexokinase II: localization of the polymorphic gene to chromo-

some 2 1299

Lin, S.-J., C.-Y. Hong, M.-S. Chang, B. N. Chiang, S. Chien: Increased aortic endothelial cell death and enhanced transendothelial macromolecular transport in streptozotocin-diabetic rats 926

Lindgren, F. A., S. G. Hartling, B. E. Persson, M. E. Röder, K. Snellman, C. Binder, G. Dahlquist: Proinsulin levels in newborn siblings of Type 1 (insulin-dependent) diabetic children and their mothers 560

Linn, T., E. Loewk, K. Schneider, K. Federlin: Spontaneous glucose intolerance in the progeny of low dose streptozotocin-induced diabetic mice 1245

Liu, Q. Z., D. J. Pettitt, R. L. Hanson, M. A. Charles, R. Klein, P. H. Bennett, W. C. Knowler: Glycated haemoglobin, plasma glucose and diabetic retinopathy: cross-sectional and prospective analyses 428

Lönnroth, P., J. W. Eriksson, B. I. Posner, U. Smith: Peroxovanadate but not vanadate exerts insulin-like effects in human

adipocytes 113

Ludvik, B., M. Clodi, A. Kautzky-Willer, M. Capek, E. Hartter, G. Pacini, R. Prager: Effect of dexamethasone on insulin sensitivity, islet amyloid polypeptide and insulin secretion in humans 84

Lund, T., S. Shaikh, E. Kendall, R. D. Campbell, M. Hattori, S. Makino, A. Cooke: RFLP analysis of the MHC class III region defines unique haplotypes for the non-obese diabetic, cataract Shionogi and the non-obese non-diabetic mouse strains. 727

Malik, R. A., S. Tesfaye, S. D. Thompson, A. Veves, A. K. Sharma, A. J. M. Boulton, J. D. Ward: Endoneurial localisation of microvascular damage in human diabetic

neuropathy 454

Manto, A., P. Cotroneo, G. Porcelli, G. D'Errico, G. Marra, P. Magnani, P. Tilli, A. V. Greco, G. Ghirlanda: Urinary kallikrein excretion in Type 1 (insulin-dependent) diabetes mellitus 423

Marks, J. L., K. Waite, M. Li: Effects of streptozotocin-induced diabetes mellitus and insulin treatment on neuropeptide Y mRNA in the rat hypothalamus 497

Massa, G., L. Dooms, R. Bouillon, M. Vanderschueren-Lodeweyckx: Serum levels of growth hormone-binding protein and insulin-like growth factor I in children and adolescents with Type 1 (insulin-dependent) diabetes mellitus 239

Maury, J., T. Issad, D. Perdereau, B. Gouhot, P. Ferré, J. Girard: Effect of acarbose on glucose homeostasis, lipogenesis and lipogenic enzyme gene expression in adipose tissue of weaned rats 503

Maxfield, E. K., N. E. Cameron, M. A. Cotter, K. C. Dines: Angiotensin II receptor blockade improves nerve function, modulates nerve blood flow and stimulates endoneurial angiogenesis in streptozotocindiabetic rats 1230

Mayhew, T. M., F. B. Sørensen, J. G. Klebe, M. R. Jackson: Oxygen diffusive conductance in placentae from control and

diabetic women 955

McCarthy, M. I., M. Hitchins, G. A. Hitman, P. Cassell, K. Hawrami, N. Morton, V. Mohan, A. Ramachandran, C. Snehalatha, M. Viswanathan: Positive association in the absence of linkage suggests a minor role for the glucokinase gene in the pathogenesis of Type 2 (non-insulin-dependent) diabetes mellitus amongst South Indians 633

McVeigh, G. E., G. M. Brennan, G. D. Johnston, B. J. McDermott, L. T. McGrath, W. R. Henry, J. W. Andrews, J. R. Hayes: Dietary fish oil augments nitric oxide production or release in patients with Type 2 (non-insulin-dependent) diabetes mellitus 33

Mogensen, C. E., Ch. Berne, E. Ritz, G. C. Viberti: The kidney in Type 2 (noninsulin-dependent) diabetes mellitus 977

Müller-Wieland, D., E. R. van der Vorm, R. Streicher, W. Krone, E. Seemanova, M. Dreyer, H. W. Rüdiger, S. R. Rosipal, J. A. Maassen: An in-frame insertion in exon 3 and a nonsense mutation in exon 2 of the insulin receptor gene associated with severe insulin resistance in a patient with Rabson-Mendenhall syndrome 1168

Muona, P., S. Jaakkola, V. Salonen, J. Peltonen: Expression of glucose transporter 1 in adult and developing human peripheral

nerve 133

Mykkänen, L., J. Kuusisto, K. Pyörälä, M. Laakso: Cardiovascular disease risk factors as predictors of Type 2 (non-insulin-dependent) diabetes mellitus in elderly subjects 553

Nauck, M. Á., N. Kleine, C. Ørskov, J. J. Holst, B. Willms, W. Creutzfeldt: Normalization of fasting hyperglycaemia by exogenous glucagonlike peptide 1 (7–36 amide) in Type 2 (non-insulindependent) diabetic patients 741

Nelson, R. G., W. C. Knowler, D. R. McCance, M. L. Sievers, D. J. Pettitt, M. A. Charles, R. L. Hanson, Q. Z. Liu, P. H. Bennett: Determinants of end-stage renal disease in Pima Indians with Type 2 (non-insulin-dependent) diabetes mellitus and proteinuria 1087

Nelson, R. G., D. J. Pettitt, H. R. Baird, M. A. Charles, Q. Z. Liu, P. H. Bennett, W. C. Knowler: Pre-diabetic blood pressure predicts urinary albumin excretion after the onset of Type 2 (non-insulin-dependent) diabetes mellitus in Pima Indians 998

Nielsen, F.S., A. I. Voldsgaard, M.-A. Gall, P. Rossing, E. Hommel, P. Andersen, J. Dyerberg, H.-H. Parving: Apolipoprotein(a) and cardiovascular disease in Type 2 (non-insulin-dependent) diabetic patients with and without diabetic nephropathy 438

pathy 436
Nielsen, S., O. Schmitz, N. Møller, N. Pørksen, I. C. Klausen, K. G. M. M. Alberti,
C. E. Mogensen: Renal function and insulin sensitivity during simvastatin treatment in Type 2 (non-insulin-dependent)
diabetic patients with microalbuminuria

Nørgaard, K., T. Jensen, B. Feldt-Rasmussen: Transcapillary escape rate of albumin in hypertensive patients with Type 1 (insulin-dependent) diabetes mellitus 57

Nyengaard, J. R., A. Flyvbjerg, R. Rasch: The impact of renal growth, regression and regrowth in experimental diabetes mellitus on number and size of proximal and distal tubular cells in the rat kidney

Nyengaard, J. R., R. Rasch: The impact of experimental diabetes mellitus in rats on glomerular capillary number and sizes 189

Ohmura, T., K. Ueda, Y. Kiyohara, I. Kato, H. Iwamoto, K. Nakayama, K. Nomiyama, S. Ohmori, T. Yoshitake, A. Shinkawu, Y. Hasuo, M. Fujishima: Prevalence of Type 2 (non-insulin-dependent) diabetes mellitus and impaired glucose tolerance in the Japanese general population: the Hisayama study 1198

Olivarius, N. de F., A. H. Andreasen, N. Keiding, C. E. Mogensen: Epidemiology of renal involvement in newly-diagnosed middle-aged and elderly diabetic patients. Cross-sectional data from the population-based study "Diabetes Care in General Practice", Denmark 1007

Ortmeyer, H. K., N. L. Bodkin, B. C. Hansen: Adipose tissue glycogen synthase activation by in vivo insulin in spontaneously insulin-resistant and Type 2 (non-insulin-dependent) diabetic rhesus monkeys 200

Östenson, C.-G., S. M. Abdel-Halim, J. Rasschaert, F. Malaisse-Lagae, S. Meuris, A. Sener, S. Efendic, W. J. Malaisse: Deficient activity of FAD-linked glycerophosphate dehydrogenase in islets of GK rats 722

Östenson, C.-G., A. Khan, S. M. Abdel-Halim, A. Guenifi, K. Suzuki, Y. Goto, S. Efendic: Abnormal insulin secretion and glucose metabolism in pancreatic islets from the spontaneously diabetic GK rat 3

Østerby, R., M.-A. Gall, A. Schmitz, F. S. Nielsen, G. Nyberg, H.-H. Parving: Glomerular structure and function in proteinuric Type 2 (non-insulin-dependent) diabetic patients 1064

Papasouliotis, K., P. Muir, T. J. Gruffydd-Jones, P.J. Cripps, A. C. Blaxter: The effect of short-term dietary fibre administration on oro-caecal transit time in dogs 207

Patti, L., G. Romano, L. Di Marino, G. Annuzzi, M. Mancini, G. Riccardi, A. A. Rivellese: Abnormal distribution of VLDL subfractions in Type 1 (insulin-dependent) diabetic patients: could plasma lipase activities play a role? 155

Petersen, J. S., M. O. Marshall, S. Bækkeskov, K. R. Hejnæs, M. Høier-Madsen, T. Dyrberg: Transfer of Type 1 (insulin-dependent) diabetes mellitus associated autoimmunity to mice with severe combined immunodeficiency (SCID) 510

Phipps, K., D. J. P. Barker, C. N. Hales, C. H. D. Fall, C. Osmond, P. M. S. Clark: Fetal growth and impaired glucose tolerance in men and women 225

Pociot, F., K. Nørgaard, N. Hobolth, O. Andersen, J. Nerup and the Danish Study Group of Diabetes in Childhood: A nationwide population-based study of the familial aggregation of Type 1 (insulin-dependent) diabetes mellitus in Denmark

Poitout, V., D. Moatti-Sirat, G. Reach, Y. Zhang, G. S. Wilson, F. Lemonnier, J. C. Klein: A glucose monitoring system for on line estimation in man of blood glucose concentration using a miniaturized glucose sensor implanted in the subcutaneous tissue and a wearable control unit

Pomerleau, J., M. Verdy, D. R. Garrel, M. Houde Nadeau: Effect of protein intake on glycaemic control and renal function in Type 2 (non-insulin-dependent) diabetes mellitus 829

Pugh, J. A., R. Medina, M. Ramirez: Comparison of the course to endstage renal disease of Type 1 (insulin-dependent) and Type 2 (non-insulin-dependent) diabetic

nephropathy 1094

Raine, A. E. G.: Epidemiology, development and treatment of end-stage renal failure in Type 2 (non-insulin-dependent) diabetic

patients in Europe 1099

Rasmussen, L. M., T. Ledet: Aortic collagen alterations in human diabetes mellitus. Changes in basement membrane collagen content and in the susceptibility of total collagen to cyanogen bromide solubilisation 445

Rendell, M. S., S. T. Kelly, D. Finney, T. Luu, K. Kahler, S. F. McIntyre, J. V. Terando: Decreased skin blood flow early in the course of streptozotocin-induced diabetes

mellitus in the rat 907

Resnick, L. M., B. T. Altura, R. K. Gupta, J. H. Laragh, M. H. Alderman, B. M. Altura: Intracellular and extracellular magnesium depletion in Type 2 (non-insulin-dependent) diabetes mellitus 767

Rich, S. S., L. R. French, J. M. Sprafka, J. P. Clements, F. C. Goetz: HLA-associated susceptibility to Type 2 (non-insulindependent) diabetes mellitus: the Wadena

City Health Study 234

Richter, W., T. H. Eiermann, J. Endl, J. Seißler, S. Wolfahrt, M. Brandt, H. Jungfer, W. A. Scherbaum: Human monoclonal islet specific autoantibodies share features of islet cell and 64 kDa antibodies 785

Robert, J.-J., D. Chauvet, D. Darmaun, H. Leblanc: Hepatic glucose production during intraperitoneal and intravenous closed-loop insulin regulation of blood glucose in Type 1 (insulin-dependent) diabetic patients 1185

Robert, J. J., B. Rakotoambinina, I. Cochet, V. Foussier, J. Magre, D. Darmaun, D. Chevenne, J. Capeau: The development of hyperglycaemia in patients with insulin-resistant generalized lipoatrophic

syndromes 1288

Roden, M., K. Liener, C. Fürnsinn, M. Prskavec, P. Nowotny, I. Steffan, H. Vierhapper, W. Waldhäusl: Non-insulin-like action of sodium orthovanadate in the isolated perfused liver of fed, nondiabetic rats 602

Rooney, D. P., R. D. G. Neely, O. Beatty, N. P. Bell, B. Sheridan, A. B. Atkinson, E. R. Trimble, P. M. Bell: Contribution of glucose/glucose 6-phosphate cycle activity to insulin resistance in Type 2 (non-insulin-dependent) diabetes mellitus 106

Rudberg, S., E. Ullman, G. Dahlquist: Relationship between early metabolic control and the development of microalbuminuria - a longitudinal study in children with

Type 1 (insulin-dependent) diabetes mellitus 1309

Ruiz-Gutierrez, V., P. Stiefel, J. Villar, M. A. García-Donas, D. Acosta, J. Carneado: Cell membrane fatty acid composition in Type 1 (insulin-dependent) diabetic patients: relationship with sodium transport abnormalities and metabolic control 850

Rvan, C. M., T. M. Williams, D. N. Finegold, T. J. Orchard: Cognitive dysfunction in adults with Type 1 (insulin-dependent) diabetes mellitus of long duration: effects of recurrent hypoglycaemia and other chronic complications 329

Saï, P., A. Elmansour, M. Audrain, B. Charbonnel, S. Bardet: Quantification of human cytoplasmic islet-cell antibodies which cross-react with mouse pancreas: a follow-up study in Type 1 (insulin-dependent) diabetic patients and in first-degree relatives 778

Schaffer, S. W., G. L. Wilson: Insulin resistance and mechanical dysfunction in hearts of Wistar rats with streptozotocininduced non-insulin-dependent diabetes mellitus 195

Schiavi, R. C., B. B. Stimmel, J. Mandeli. E. J. Rayfield: Diabetes mellitus and male sexual function: a controlled study 745

Schmitz, A.: Renal function changes in middle-aged and elderly Caucasian Type 2 (non-insulin-dependent) diabetic patients-a review 985

Sell, D. R., E. C. Carlson, V. M. Monnier: Differential effects of Type 2 (non-insulin-dependent) diabetes mellitus on pentosidine formation in skin and glomerular base-

ment membrane 936

Sensi, M., M. G. De Rossi, F.S. Celi, A. Cristina, C. Rosati, D. Perrett, D. Andreani, U. Di Mario: D-Lysine reduces the nonenzymatic glycation of proteins in experimental diabetes mellitus in rats 797

Shimada, F., H. Makino, N. Hashimoto, M. Taira, S. Seino, G. I. Bell, A. Kanatsuka, S. Yoshida: Type 2 (non-insulin-dependent) diabetes mellitus associated with a mutation of the glucokinase gene in a Japanese family 433

Simmons, D. A., A. I. Winegrad: Insulin does not regulate vascular smooth muscle Na + K + - ATPase activity in rabbit aorta 212

Songini, M., M. Loche, Sa. Muntoni, M. Stabilini, A. Coppola, G. Dessi, A. Green, G. F. Bottazzo, Se. Muntoni: Increasing prevalence of juvenile onset Type 1 (insulin-dependent) diabetes mellitus in Sardinia: the military service approach 547

Spiro, M.J., T.J. Crowley: Increased rat myocardial type VI collagen in diabetes mellitus and hypertension 93

Spjuth, J., G. Larsson, P. Nilsson-Ehle, B. Schersten, B. Astedt: Can the birth of a large infant predict risk for atherosclerotic vascular disease in the mother? 117

Staines, A., H. J. Bodansky, H. E. B. Lilley, C. Stephenson, R. J. Q. McNally, R. A. Cartwright: The epidemiology of diabetes mellitus in the United Kingdom: The

Yorkshire Regional Childhood Diabetes Register 1282

Standl, E., H. Stiegler: Microalbuminuria in a random cohort of recently diagnosed Type 2 (non-insulin-dependent) diabetic patients living in the Greater Munich Area 1017

Sten-Linder, M., A. Wedell, L. Iselius, S. Efendic, R. Luft, H. Luthman: DNA polymorphisms in the human tyrosine hydroxylase/insulin/insulin-like growth factor II chromosomal region in relation to glucose and insulin responses 25

Stenninger, E., J. Aman: Intranasal glucagon treatment relieves hypoglycaemia in children with Type 1 (insulin-dependent)

diabetes mellitus 931

Stevens, E.J., M.J. Lockett, A.L. Carrington, D. R. Tomlinson: Essential fatty acid treatment prevents nerve ischaemia and associated conduction anomalies in rats with experimental diabetes mellitus 397

Stevens, M.J., S. A. Lattimer, M. Kamijo, C. Van Huysen, A. A. F. Sima, D. A. Greene: Osmotically-induced nerve taurine depletion and the compatible osmolyte hypothesis in experimental diabetic neuropathy in the rat 608

Stewart, L. L., L. L. Field, S. Ross, R. G. McArthur: Genetic risk factors in diabetic

retinopathy 1293

Stoffel, M., R. Espinosa III, S. R. Keller, G.E. Lienhard, M.M. Le Beau, G. I. Bell: Human insulin receptor substrate-1 gene (IRS1): chromosomal localization to 2q35q36.1 and identification of a simple tandem repeat DNA polymorphism 335

Stridsberg, M., C. Berne, S. Sandler, E. Wilander, K. Öberg: Inhibition of insulin secretion, but normal peripheral insulin sensitivity, in a patient with a malignant endocrine pancreatic tumour producing high amounts of an islet amyloid polypeptidelike molecule 843

Takahashi, M., T. Ohishi, H. Aoshima, K. Kawana, K. Kushida, T. Inoue, K. Horiuchi: The Maillard protein cross-link pentosidine in urine from diabetic patients 664

Takao, Y., S. Akazawa, K. Matsumoto, H. Takino, M. Akazawa, R. A. Trocino, Y. Maeda, S. Okuno, E. Kawasaki, S. Uotani, A. Yokota, S. Nagataki: Glucose transporter gene expression in rat conceptus during high glucose culture 696

Taki, T., K. Yokono, K. Amano, N. Hatamori, Y. Hirao, Y. Tominaga, S. Maeda, M. Kasuga: Effect of T-cell receptor  $V\beta$ specific monoclonal antibodies on cyclophosphamide-induced diabetes mellitus in non-obese diabetic mice 391

Tallroth, G., E. Ryding, C.-D. Agardh: The influence of hypoglycaemia on regional cerebral blood flow and cerebral volume in Type 1 (insulin-dependent) diabetes

mellitus 530

Tanizawa, Y., K. C. Chiu, M. A. Province, R. Morgan, D. R. Owens, A. Rees, M. A. Permutt: Two microsatellite repeat polymorphisms flanking opposite ends of the human glucokinase gene: use in haplotype analysis of Welsh Caucasians with

Type 2 (non-insulin-dependent) diabetes mellitus 409

Tesfaye, S., N. Harris, J. J. Jakubowski, C. Mody, R. M. Wilson, I. G. Rennie, J. D. Ward: Impaired blood flow and arterio-venous shunting in human diabetic neuropathy: a novel technique of nerve photography and fluorescein angiography 1266

Thibault, C., C. Guettet, M. C. Laury, J. M. N'Guyen, M. A. Tormo, D. Bailbé, B. Portha, L. Pénicaud, A. Ktorza: In vivo and in vitro increased pancreatic beta-cell sensitivity to glucose in normal rats submitted to a 48-h hyperglycaemic period

589

Trivedi, N., A. Mithal, S. K. Gupta, M. M. Godbole for the Fluoride Collaborative Study Group: Reversible impairment of glucose intolerance in patients with endemic fluorosis 826

UK Prospective Diabetes Study Group: UK Prospective Diabetes Study (UKPDS). X. Urinary albumin excretion over 3 years in diettreated Type 2 (non-insulin-dependent) diabetic patients, and association with hypertension, hyperglycaemia and hypertriglyceridaemia 1021

UK Prospective Diabetes Study Group: UK Prospective Diabetes Study (UKPDS) IX: Relationships of urinary albumin and N-acetylglucosaminidase to glycaemia and hypertension at diagnosis of Type 2 (non-insulin-dependent) diabetes mellitus and after 3 months diet therapy 835

Uusitupa, M. I. J., L. K. Niskanen,
O. Siitonen, E. Voutilainen, K. Pyörälä:
Ten-year cardiovascular mortality in relation to risk factors and abnormalities in lipoprotein composition in Type 2 (noninsulin-dependent) diabetic and non-

diabetic subjects 1175

Vandewalle, C. L., T. Decraene, F. C. Schuit, I. H. De Leeuw, D. G. Pipeleers, F. K. Gorus, the Belgian Diabetes Registry: Insulin autoantibodies and high titre islet cell antibodies are preferentially associated with the HLA DQA1\*0301-DQB1\*0302 haplotype at clinical onset of Type 1 (insulin-dependent) diabetes mellitus before age 10 years, but not at onset between age 10 and 40 years 1155

Velloso, L. A., O. Kämpe, D. L. Eizirik, A. Hallberg, A. Andersson, F. A. Karlsson: Human autoantibodies react with glutamic acid decarboxylase antigen in human and rat but not in mouse pancre-

aticislets 39

Vialettes, B., D. Maraninchi, M. P. San Marco, F. Birg, A. M. Stoppa, C. Mattei-Zevaco, C. Thivolet, L. Hermitte, P. Vague, P. Mercier: Autoimmune polyendocrine failure – Type 1 (insulin-dependent) diabetes mellitus and hypothyroidism – after allogeneic bone marrow transplantation in a patient with lymphoblastic leukaemia 541

Vora, J. P., J. Dolben, J. D. Williams, J. R. Peters, D. R. Owens: Impact of initial treatment on renal function in newly-diagnosed Type 2 (non-insulin-dependent) diabetes mellitus 734

Vuorinen-Markkola, H., H. Yki-Järvinen, M-R. Taskinen: Lowering of triglycerides by gemfibrozil affects neither the glucoregulatory nor antilipolytic effect of insulin in Type 2 (non-insulin-dependent) diabetic patients 161

Wahl, M. A., S. G. Straub, H. P. T. Ammon: Vasoactive intestinal polypeptideaugmented insulin release: actions on ionic fluxes and electrical activity of

mouse islets 920

Wasty, F., M. Z. Alavi, S. Moore: Distribution of glycosaminoglycans in the intima of human aortas: changes in atherosclerosis and diabetes mellitus 316

Westermark, G. T., L. Christmanson, G. Terenghi, J. Permerth, C. Betsholtz, J. Larsson, J. M. Polak, P. Westermark: Islet amyloid polypeptide: demonstration of mRNA in human pancreatic islets by in situ hybridization in islets with and without amyloid deposits 323

Williams, A.J.K., P.E. Beales, J. Krug, E. Procaccini, A. Signore, S. Xu, E. A. M. Gale, P. Pozzilli: Tolbutamide reduces the incidence of diabetes mellitus, but not insulitis, in the non-obesediabetic mouse

487

Young, M.J., J. E. Adams, G. F. Anderson, A.J. M. Boulton, P. R. Cavanagh: Medial arterial calcification in the feet of diabetic patients and matched non-diabetic control subjects 615

Young, M.J., A.J. M. Boulton, A. F. Macleod, D. R. R. Williams, P. H. Sonksen: A multicentre study of the prevalence of diabetic peripheral neuropathy in the

United Kingdom hospital clinic population 150

Zanone, M. M., M. Peakman, T. Purewal, P.J. Watkins, D. Vergani: Autoantibodies to nervous tissue structures are associated with autonomic neuropathy in Type 1 (insulin-dependent) diabetes mellitus 564

Zenobi, P. D., P. Holzmann, Y. Glatz, W. F. Riesen, E. R. Froesch: Improvement of lipid profile in Type 2 (non-insulin-dependent) diabetes mellitus by insulin-like growth factor 1 465

Zhang, H., U. T. Brunk: Alloxan cytotoxicity is highly potentiated by plasma membrane- and lysosomal-associated iron – a study on a model system of cultured

J-774 cells 707

Ziegler, A.-G., B. Hillebrand, W. Rabl, M. Mayrhofer, M. Hummel, U. Mollenhauer, J. Vordemann, A. Lenz, E. Standl: On the appearance of islet associated autoimmunity in offspring of diabetic mothers: a prospective study from birth 402

Zochodne, D. W., L. T. Ho: Diabetes mellitus prevents capsaicin from inducing hyperaemia in the rat sciatic nerve 493

Zumsteg, U., J. I. Reimers, F. Pociot, L. Mørch, S. Helqvist, M. Brendel, R. Alejandro, T. Mandrup-Poulsen, C. A. Dinarello, J. Nerup: Differential interleukin-1 receptor antagonism on pancreatic beta and alpha cells. Studies in rodent and human islets and in normal rats 759

### Rapid communication

Bent-Hansen, L., B. Feldt-Rasmussen, A. Kverneland, T. Deckert: Plasma disappearance of glycated and non-glycated albumin in Type 1 (insulindependent) diabetes mellitus: evidence for charge dependent alterations of the plasma to lymph pathway 361

Bingley, P.J., G. Caldas, R. Bonfanti, E. A. M. Gale: Nicotinamide and insulin secretion in normal subjects 675

Cheetham, T. D., J. Jones, A. M. Taylor, J. Holly, D. R. Matthews, D. B. Dunger: The effects of recombinant insulin-like growth factor I administration on growth hormone levels and insulin requirements in adolescents with Type 1 (insulin-dependent) diabetes mellitus 678

Conget, I., J. Fernández-Alvarez, J. Ferrer, Y. Sarri, A. Novials, N. Somoza, R. Pujol-Borrell, R. Casamitjana, R. Gomis: Human pancreatic islet function at the onset of Type 1 (insulin-dependent)

diabetes mellitus 358

Kahn, S. E., C. B. Verchere, D. A. D'Alessio, D. L. Cook, W. Y. Fujimoto: Evidence for selective release of rodent islet amyloid polypeptide through the constitutive secretory pathway 570

Maioli, M., G. Tonolo, A. Pacifico, M. Ciccarese, P. Brizzi, E. M. Kohner, M. Porta: Raised serum apolipoprotein (a) in active

diabetic retinopathy 88

Rabuazzo, A. M., M. Buscema, C. Vinci, V. Caltabiano, M. Anello, R. Vigneri, F. Purrello: Inhibition of the high-affinity glucose transporter GLUT 1 affects the sensitivity to glucose in a hamster-derived pancreatic beta cell line (HIT) 1204

Stoffel, M., G. I. Bell: Characterization of a third simple tandem repeat polymorphism in the human glucokinase

gene 170

Vollenweider, F., J.-C. Irminger, P. A. Halban: Substrate specificity of proinsulin conversion in the constitutive pathway of transfected FAO (hepatoma) cells 1322

Vorm, E. R. van der, A. Kuipers, J. W. Bonenkamp, W. J. Kleijer, L. Van Maldergem, J. Herwig, J. A. Maassen: Patients with lipodystrophic diabetes mellitus of the Seip-Berardinelli type, express normal insulin receptors 172

### **Workshop report**

Pociot, F., J. I. Reimers, H. U. Andersen: Nicotinamide – biological actions and therapeutic potential in diabetes prevention. IDIG Workshop, Copenhagen, Denmark, 4–5 December 1992 574

Report prepared by L. Packer: The role of anti-oxidative treatment in diabetes mellitus. This meeting was held in Frankfurt am

Main, Germany 1212

# For debate

Ceriello, A., A. Quatraro, D. Giugliano: Diabetes mellitus and hypertension: the possible role of hyperglycaemia through oxidative stress 265

Ganrot, P.O.: Insulin resistance syndrome: possible key role of blood flow in resting

muscle 876

Groop, L. C., E. Widén, E. Ferrannini: Insulin resistance and insulin deficiency in the pathogenesis of Type 2 (non-insulindependent) diabetes mellitus: errors of metabolism or of methods? 1326

Mijovic, C.H., D. Jenkins, M. A. Penny: Susceptibility to Type 1 (insulin-dependent) diabetes mellitus is determined by MHC class II molecules. What about DR4?

1210

Pozzilli, P., R. Buzzetti, G. F. Bottazzo, R. Tosi: The selection of control subjects for case/control analysis of susceptibility to Type 1 (insulin-dependent) diabetes mellitus 1208

Robinson, B. H., H.-M. Dosch, J. M. Martin, H. K. Åkerblom, E. Savilahti, M. Knip, J. Ilonen: A model for the involvement of MHC class II proteins in the development of Type 1 (insulin-dependent) diabetes mellitus in response to bovine serum albumin peptides 364

#### Letters to the editor

Alcolado, J. C.: Mitochondrial DNA defects in diabetes mellitus 578

Allo, S., M. Mozaffari, G. Wilson, S. W. Schaffer: Response from the authors 880

Chatterjee, P. S., J. Mukherjee, S. K. Gupta: Are patients with fibrocalculous pancreatic diabetes a subset of chronic calcific pancreatitis of the tropics with genetic predisposition to Type 1 (insulin-dependent) diabetes? 972

Császár, A., H. Dieplinger, G. Utermann: Response from the authors 882

Response from the authors 882 Dahlquist, G., E. Savilahti, M. Landin-Ols-

son: Response from the authors 684 Dowse, G. K., P. Z. Zimmet, K. G. M. M. Alberti: Infant nutrition and subsequent risk of Type 2 (non-insulin-dependent) diabetes mellitus 267

Gerbitz, K.-D.: Response from the author 578

Hales, C.N., D.J.P. Barker: Response from the authors 268, 974

Inadera, H., S. Ito, Y. Ishikawa, M. Shinomiya, K. Shirai, Y. Saito, S. Yoshida: Visceral fat deposition is seen in patients with insulinoma 91

Kaprio, J., J. Tuomilehto, M. Koskenvuo, K. Romanov, A. Reunanen, J. Eriksson, J. Stengård, Y. A. Kesäniemi: Response from the authors 472

Kobayashi, T., K. Nakanishi, T. Murase, K. Kosaka: Subtype of islet cell antibodies and slowly progressive beta-cell failure 92

Lorini, R., M. A. Avanzini, L. Vitali: Followup of anti-beta-lactoglobulin antibodies in children with Type 1 (insulin-dependent) diabetes mellitus 683

Mandrup-Poulsen, T., J. A. Corbett, M. L. McDaniel, J. Nerup: What are the types and cellular sources of free radicals in the pathogenesis of Type 1 (insulin-dependent) diabetes mellitus? 470

Matschinsky, F. M.: Evolution of the glucokinase glucose sensor paradigm for pancre-

atic beta cells 1216

Mikhailidis, P.: Insulin resistance and mechanical dysfunction in hearts of Wistar rats with streptozotocin-induced non-insulindependent diabetes mellitus 880

Paepe, M. E. De, E. Colle: Response from the authors 682

Papaccio, G.: Early insulitis and the islet vascular system 682

Papadopoulos, G. K.: MHC class II molecules and the immune response to the ABBOS peptide of bovine serum albumin: prelude to Type 1 (insulin-dependent) diabetes? 1215

Paul, T. L., I. M. Hramiak, J. L. Mahon, D. Freeman, P. Atkinson, D. T. Finegood, J. Dupre: Nicotinamide and insulin sensi-

tivity 369

Phillips, D. I. W., C. N. Hales, D. J. P. Barker: Can twin studies assess the genetic component in Type 2 (non-insulin-dependent) diabetes mellitus? 471

Ramirez, L. C., P. Raskin: Diabetes control and pulmonary function in Type 1 (insulindependent) diabetes mellitus 972

Randle, P.J.: Response from the author 1217

Robinson, B. H.: Response from the author 1216

Rynkiewicz, A., J. Furmanski, K. Narkiewicz, E. Semetkowska, L. Bieniaszewski, S. Horoszek-Maziarz, B. Krupa-Wojciechowska: Influence of duration of Type 1 (insulin-dependent) diabetes mellitus on 24-h ambulatory blood pressure and heart rate profile 577

Stehouwer, C. D. A.: Response from the authors 473

Strojek, K.: Response from the authors 580 Tuomi, T., P. Z. Zimmet, M. J. Rowley, S. W. Serjeantson, I. R. Mackay: Persisting

S. W. Serjeantson, I. R. Mackay: Persisting antibodies to glutamic acid decarboxylase in Type 1 (insulin-dependent) diabetes mellitus are not associated with neuropathy 685

Vendrell, T., C. Gutiérrez, R. Pastor, C. Richart: Plasma lipoprotein (a) concentration in diabetes mellitus 881

Vermes, I., P.F.M. J. Spooren, E. M. Kalsbeek-Batenburg, C. Haanen: In addition to von Willebrand factor and urinary albumin excretion, plasma endothelin is an indicator of endothelial dysfunction in diabetes mellitus 472

Verrotti, A., F. Chiarelli, M. Verini, G. Morgese: Pulmonary function in Type 1 (insulin-dependent) diabetes mellitus 579

Waldhäusl, W., P. Fasching: Fetal growth and impaired glucose tolerance in men and women 973

### **Book review**

370, 1332

# **Contents of Volume**

36

#### **Erratum**

685, 1332

### List of referees

1333

# **Author Index**

1336

### **Subject Index**

1340

#### **EASD News Section**

1, 11, 17, 21, 23, 27, 31, 33, 39, 47, 55

